

Fig. 1




Fig. 2






Fig. 3



248

242

244



241

243

245

247

249

246

Fig. 4




Fig. 5




Fig. 7




Fig. 8

590

510

520

530

540

550

560

Model Developer Property Table on socket://sparky:1267 [*]

Pattern Name	Display Name	Description	Do Task	Pre Task	Post Task
AndSplitAndJoin			N/A	N/A	N/A
DoUndo	BillEvent		com.multiflow...	N/A	N/A
DoUndo	BillEvent		com.multiflow...	N/A	N/A
DoUndo	DHCP		branta.SignalS...	N/A	N/A
DoUndo	DHCP/DDNS		branta.SignalS...	N/A	N/A
DoUndo	Email		branta.SignalS...	N/A	N/A
DoUndo	Email		branta.SignalS...	N/A	N/A
DoUndo	Web		branta.SignalS...	N/A	N/A
DoUndo	Web		branta.SignalS...	N/A	N/A
Loop			N/A	com.multiflow...	branta.Collect...

Pattern

Pattern Name

 DoUndo

Display Name

 Email

Id

 DoUndo_00h

Description

Do Task

branta.SignalSlave {slaveId:createEmail url:"local:///"}

Apply

Reset

570

580

Fig. 9





Fig. 10



282

Fig. 11




Fig. 12

Fig. 13




Fig. 14





Fig. 15



The image shows a software dialog box titled "Pattern Inspector, pattern: Example". It has a menu bar with "File", "Edit", "View", "Tools", and "Windows". The dialog contains several input fields and buttons. A label "802" with a pointer indicates the "Description" field.

Pattern Name:	<input type="text"/>	Id: <input type="text" value="ilet_0"/>
Display Name:	<input type="text" value="Example"/>	Color: <input type="text"/>
Description:	<input type="text" value="protocol://host:port?{ilet:aModelId key0:value0 keyN:valueN}"/>	
Pre-Task:	<input type="text"/>	
Post Task:	<input type="text" value="com.emperative.task.Core { message:apply }"/>	

Buttons:

802